

## SURVEY ON COMMON FEATURE DISCRIMINANT ANALYSIS FOR MATCHING INFRARED FACE IMAGES TO OPTICAL FACE IMAGES

Miss. Shubhangi G. Rode

Department of Electronics and Communication Engineering  
G.H. Raisonni Polytechnic, Nagpur, Maharashtra  
shubhangi.rode@yahoo.com

**Abstract**— in the production the major issue is to contest the infrared face images to the optical face images. The difficulty come of the variation between two images which is refers as modality gap. This is occur because of the infrared image taken by inferred imaging device and optical image taken by optical imaging device. Effective method is use to reduce the modality gap in the images. The method is Common feature discriminant analysis. This method increases infrared-optical face recognition performance. Method provides result in two steps in which it extract first the common features from infrared face image and optical face images. In the Second step get the final result applied to resulting features.

**Index Terms**— Heterogeneous Face recognition, infrared face, face descriptor, Face recognition.

### I. INTRODUCTION

Customary optical imaging devices need suitable brightness surroundings to work suitably, which is difficult to complete suitably in useful face recognition uses. To fight low illumination at darkness, devices captured the inferred images have been commonly practical to many automatic face recognition (ARF) systems. The assignment of infrared-based ARF systems is to equal a probe face image captured with the infrared imaging device to a gallery of face images captured with the optical imaging device, which is measured to be an key application of heterogeneous. Human frequently use faces to identify specific and progress in computing capability over the past few decades now enable similar recognition mechanically. Infrared photos are typically unclear, low contrast and have different gray distribution. Optical photos are clearer. An IR image of the human face offerings its exclusive heat-signature. It also can be used for recognition. Due to increasing loads, application

areas such as banking, law enforcement, video surveillance and security system access authentication, automatic face recognition has involved more devotion in recent years. Recognition results can be corrected in uncertain cases by people without extensive training face recognition systems are more effective to use. Face recognition supports for the safety purpose. Identical face images of dissimilar modalities is mentioned to as heterogeneous face recognition. Heterogeneous face recognition is the combination of infrared face images and optical face images.

The significant application of heterogeneous face recognition is to match a probe face image to a gallery of face image by infrared-based ARF system. The probe face images are captured by infrared device and a gallery of face images captured by optical device. The critical issue in heterogeneous face recognition, the face images related with the same person but captured with the different devices might be unequal because of discrepancy between the images which is mentioned as modality gap. The challenging issue is the modality gap between the infrared images and optical images. Human face recognition shows an important role in application, such as, credit card verification, criminal identification, scene surveillance, security system etc.




Fig. 1. Infrared Image and corresponding Optical Image.

An infrared face recognition scheme can work on all-weather conditions. It has no shadow problem.

So, infrared face recognition is vigorous research area during last years. The difficulty of infrared face recognition mostly come from the, low resolution, external environment temperature. Face recognition is one of the biometric methods to identify people by the feature of face. And it is very important for many applications such as retrieval of an identity from a database for banking system and, video surveillance, criminal investigations smart cards, entertainment, forensic applications, virtual reality.

Face recognition can be used for verification as well as identification. Face recognition technology is being used to battle identify missing children, minimize benefits, identify frauds, passport fraud. Old-style optical devices have need of proper illumination conditions to work properly, which is difficult to achieve satisfactorily in practical face recognition applications.

## **II.RELATED WORK**

### *A.Heterogeneous face recognition for Prototype Random Subspaces*

Anil K. Jain and Brendan F. Klare [3], offered a method for heterogeneous face recognition. Heterogeneous face recognition (HFR) includes matching two face images from exchange imaging modalities, such as a sketch to a photograph or infrared image to a photograph. A general HFR framework is expected in which probe as well as gallery images are characterised in terms of nonlinear similarities to a collecting of prototype face images. HFR systems are of enormous value in various applications e.g. surveillance and forensics. In which the gallery databases are occupied with photographs e.g. passport photographs or mug shot but the probe images are frequently limited to some exchange modality.

The original subjects i.e. the training set have an image in every modality. Probe and gallery images are primarily clarified with three dissimilar image filters. And features are extracted by two different local feature descriptors. A random subspace framework is working in combining with LDA subspace analysis to further recover the recognition accuracy.

The match of an image is measured against the prototype images from the parallel modality. The correctness of this nonlinear prototype illustration is improved by projecting the structures into a linear discriminant subspace. Random sampling is presented into the HFR framework to greater handle challenges arising from the minor sample size problem.

### *B. Photo-sketch synthesis and recognition by MRF model*

Xiaoou Tang and Xiaogang Wang [7], recommended a novel face photo-sketch synthesis and recognition technique by using multi-scale Markov Random Fields (MRF) model. This technique provide three mechanisms; as face photo is given, primarily it synthesizing a sketch drawing, afterword given a face sketch drawing, synthesize a photo, and searching for face photos in the database created on a query sketch drawn by an sketcher. A face sketch or face photo, its sketch or photo can be created using a multiscale Markov Random Fields model, which tells the face structure across different scales. And modality changed of the photos and the sketches, many face recognition techniques are estimated for the face sketch recognition assignment.

To collect sketch/photo images, the face section is divided into overlapping patches for learning. From a training set which comprises photo-sketch pairs, the joint photo-sketch model is educated at multiple scales using a multi-scale MRF model.

### *C. Infrared Face Recognition based on Local Binary Pattern*

Jie Zeng, Guo-Dong Liu and Zhi-HuaXie, [6], offered a novel infrared face recognition technique which is created on Local Binary Pattern. An infrared face recognition scheme work in any weather conditions. Shadow problem is not there. Since of this infrared face recognition is vital research area during few years. The key problem of infrared face recognition arises from the outside environment low resolution, temperature. There are

number of feature extraction methods are calculated for infrared face recognition. And methods are holistic extraction and local extraction.

The main thing is that operation of face representation and recognition has different criterions. Based on the principle of separability discriminant algorithm is proposed, pattern selection (PS) to develop the LBP patterns, suitable for infrared face recognition method beat the traditional LBP+uniform and PCA+LDA methods.

To get the final features, it use the space locations information, the partitioning and LBP histogram.

#### *D. Improvement of Heterogeneous Face Recognition by Using Coupled Discriminant Analysis*

Shanghai Liao, Zhen Lei, Anil K. Jain [2], offered a novel for coupled discriminant analysis method to recover the heterogeneous face recognition performance. It uses two ways to provide the result, in which first, the adequate discriminative information extraction, entire samples from different modalities are used to indicate the coupled projections. And in second step, it recover the generalization ability the locality information in kernel space is included into the coupled discriminant analysis as a constraint.

In the input, structures of the data transformed kernel space are used, offer more result discriminative information for heterogeneous face recognition. For that Locality constraint in kernel space (LCKS)-based coupled discriminant analysis method is used which gives the desire output also uses LCKS-coupled spectral regression (LCKS-CSR) and LCKS-coupled discriminant analysis (LCKS-CDA) are offered.

#### *E. Face Detection and Face Recognition Scheme*

AlirezaTofighi, S. Amir Hassan Monadjemi [5], offered

A method to improve the performance of face detection and recognition. In which first, it identifies faces after that it recognizes the detected faces. In detection process, it used the skin color segmentation with Gaussian skin color model, which is combined with AdaBoost algorithm. To generate a rational trade off, among the time complexity and accuracy and extend a high performance face detection algorithm. It is fast and more precise. Above algorithms to make an efficient face recognition system with a high recognition rate. For recover the face detection performance, a series of morphological operators used. In the recognition part, Gabor features extraction is done primarily, afterword dimension reduction by using PCA, then feature selection by using LDA, and in the last step SVM based classification is done. PCA selects features which is useful in class representation, while LDA algorithm selects features that are efficient for class separability. Grouping of PCA and LDA is used for improving the capability of LDA when a few samples of images are presented.

It check the scheme on the face databases. Results of the research confirm that scheme is robust well enough to detect faces in different poses, lighting conditions scales, and skin colours from various contests. Also, system is capable to recognize face with less misclassification compared to the earlier methods. Simulation marks clarify that system is capable to discover human faces in different lighting conditions, poses, various skin colours and scales. It has the ability of optimal feature extraction and efficient face classification.

### **III. PROPOSED METHODOLOGY**

In this section, proposed a new method common feature discriminant analysis. Which is used for matching optical to infrared face images. In Common feature discriminant analysis method, it will

1. Find the Encoded images of optical and infrared images.
2. Feature Extraction

It generate feature vectors.

### 3. Matching Framework.

In CFDA approach, a new descriptor is developing to represent optical and infrared face images to decrease the modality gap. A two-level matching scheme is used for fast and effective matching. CFDA method is used to reduce modality gap between two images.

## IV. CONCLUSION

In this paper, proposed a method common feature discriminant analysis (CFDA) to decrease the great discrepancy between the infrared face images to optical face images. This scheme is also use for matching infrared face images to the optical face images. A method will increase infrared to optical face recognition performance.

## V. REFERENCES

- [1] Zhifeng Li, Dihong Gong, Yu Qiao and Dacheng Tao, "Common Feature Discriminant Analysis For Matching Infrared Face Images to Optical Face Images" IEEE Transactions on Image Processing, No. 6, June 2014.
- [2] Zhen Lei, Shengcai Liao, Anil K. Jain, "Couple Discriminant Analysis for Heterogeneous Face Recognition" IEEE Transactions on Information Forensics and Security, No. 6, December 2012.
- [3] Brendan F. Klare and Anil K. Jain, "Heterogeneous Face Recognition Using Kernel Prototype Similarities" IEEE Transactions on Pattern Analysis and Machine Intelligence, No. 6, June 2013.
- [4] Francesco Nicolò and Natalia A. Schmid "Long Range Cross-Spectral Face Recognition: Matching SWIR against Visible Light Images" IEEE Transactions on Information Forensics and Security, No. 6, December 2012.
- [5] Alireza Tofghi, S. Amirhassan Monadjemi, "Face Detection and Recognition using Skin Color and AdaBoost Algorithm Combined with Gabor Features and SVM Classifier" "International Conference on Multimedia And Signal Processing, 2011.
- [6] Zhi-Hua Xie, Jie Zeng, Guo-Dong Liu, "A Novel Infrared Face Recognition Based On Local Binary Pattern", International Conference on Wavelet Analysis and Pattern Recognition, Guilin, 10-13 July, 2011.
- [7] Xiaogang Wang and Xiaoou Tang, "Face Photo-Sketch Synthesis and Recognition" IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 31, No. 11, November 2009.
- [8] Xiaoou Tang and Xiaogang Wang "Face Sketch Recognition" IEEE Transactions on Circuits and System for Video Technology, No. 1, January 2004.
- [9] Ran him, Wei-Shi Zheng, Bao-Gang Hu, "Two-Stage Nonnegative Sparse Representation for Large-Scale Face Recognition" IEEE Transactions on Neural Networks and Learning Systems, Vol. 24, No. 1, January 2013.